# Lexmark XC2132 Colour Laser MFP

## Robust. Reliable Performance.

Colour

Duplex Printing

Solutions

Duplex RADF

Up to 32 ppm

Security

7-Inch Touch Screen

Network

Fax

**LEXMARK**

# Lexmark XC2132



## Why Lexmark.

Founded in 1991 from an IBM heritage in Lexington, Kentucky, Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high quality products, solutions, and services help improve productivity, increase efficiency and empower employees to perform at their best.



## Eco-responsible.

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high quality output with reliable performance. And at the same time, help you minimize the number of cartridges you use over the life of a printer and conserve paper and energy.

The Lexmark Cartridge Collection Program provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Program availability and details vary by country.



## Environmental protection is a shared responsibility.

Through work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

**Our memberships include**
AeA Europe
Ecma International
Electronics Industry Citizenship Coalition (EICC)
DIGITALEUROPE
European Information & Communications Technology Industry Association (EICTA)
Information Technology Industry Council (ITI) Environmental Leadership Council

# Lexmark XC2132 Overview



**Powerful performance.** The Lexmark XC2132 multifunction system will help propel your business forward. Our solutions capable, eco-friendly systems can simplify processes and help you quickly respond to changing business needs.

- Process even the most complex jobs utilizing the 800 MHz dual-core processing power and up to 3GB of memory, with print and copy speeds up to 32 ppm with time to first page in as little as 10.5 seconds; in black (monochrome)
- Produce professional colour in-house,on demand with a system that delivers consistent image quality on a diverse range of materials
- Advanced copy functions let you interrupt long print runs to make a quick copy and proof the first copy set before completing your copy job



**Accurate colour.** The Lexmark XC2132 MFP delivers rich, consistent colour printing that can enhance your company's materials and brand. It's faster and more reliable than ever.

- Professional colour matching - Lexmark Named Colour Replacement and PANTONE® calibration make it easy to develop a consistent brand image by accurate colour matching
- High resolution graphics - with up to true 1200x1200 dpi resolution, images and graphics stay crisp. Lexmark's Unison™ Toner ensures consistent quality, too
- Super fast and quiet output - quickly print, copy and scan up to 32 pages per minute plus produce a 1-page colour document in as little as 11.5 seconds



**Easy and intuitive.** The Lexmark XC2132 is designed for easy operation to allow you to stay focused on customer engagements instead of routine maintenance.

- Easy to navigate 7-inch touch screen provides audible feedback to make completing tasks intuitive, and with print and scan preview features you can select documents or specific pages within a document
- Extend your environmental responsibility with energy-efficient settings such as the Sleep Button and Hibernate Mode, and instant warm-up fuser helps reduce energy consumption and improve time to first page
- Manage your devices with available software, scan to multiple destinations, including scan to network, email, FTP, fax, and more
- For higher volume print needs, optional input capacity can be added to keep jobs moving

# Automate Critical Processes

Our solutions are designed with your productivity in mind. The Lexmark XC2132 lets you interact with business applications directly on the device or with a server, on premise or hosted in the cloud. Reduce unnecessary printing and simplify work processes with Lexmark solutions.

# Lexmark XC2132 Solutions

**Navigate to efficiency.** The Lexmark colour touch screen is a key access point to your device. The customizable, 7-inch interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print job settings at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to functions and shortcuts.

**The following are examples of preloaded solutions on the XC2132 MFP.**

### Multi Send

Capture and route a document to multiple destinations simultaneously and print a copy if you choose. Documents can be routed to email, network folders, or FTP sites.

### Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.

### Scan to Network Basic

Scan a hard copy document and route the image to one of 30 predefined or public shared network folders.

### Customer Support

Easily send information about your device to your authorized dealer.

**Additional Lexmark solutions are available through your authorized Lexmark Business Solutions Dealers.**

# Lexmark XC2132 Vertical Solutions



## Professional quality output is only part of the story

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to gain the power you need to move ahead. Lexmark technology solutions are tailored to your business environment – where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data, and deliver information to the right place, at the right time, and in the right format.

Contact your Lexmark Business Solutions Dealer for specific vertical solutions.*

\* Optional software available. Licensing fees may apply.

## Keep sensitive information and documents secure



Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

**Device management.** Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec), and 802.1x support to remotely monitor and manage device usage.

**Device hardening.** Includes port filtering, TCP connection filtering, hard disk encryption, hard disk wiping and digitally signed firmware updates that enhance the security of the device's network interface.

**Device operation.** Reduce vulnerabilities with authentication and authorization features, address book lookup via LDAP over SSL and device lockout for protection of user information.

**Lexmark has shown its strength and leadership with respect to security.**

- Forming and chairing the group that created the IEEE 2600 standards for security on hard copy devices.
- Becoming the first hard copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation.

# Lexmark XC2132 Key Features



XC2132 with 7-inch colour touch screen

## Features that help you optimize your work



**1) Intuitive colour touch screen**

Operate your device with ease through smart and intuitive navigation. Receive audible feedback when you use the touch screen.



**2) Flexible media handling**

Print on a wide range of media with built-in 2-sided printing. Add additional input capacity up to 1450 pages for higher volume output needs.



**3) Professional Colour Matching**
Lexmark Named Colour Replacement and PANTONE® calibration make it easy to develop a consistent brand image by accurately matching your colours.



**4) Automatic document feeder**

Save time by scanning both sides of your document with robust colour-scanning capabilities.



**5) Direct USB**

The front USB port allows for convenient walk-up preview, printing and scanning and is compatible with most printable image file formats.



**6) Lexmark solutions**

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



**7) Innovative Unison™ Toner**

Get advanced toner science, powerful enough to deliver consistently outstanding image quality, with a shake free print system.



**8) Eco-friendly features**

Easy-to-access features like Eco-Mode to reduce paper and toner consumption. The Sleep Button and Hibernate Mode make it easy to print responsibly and help you save energy.

# Lexmark XC2132 Ordering Information

**7-inch Touch Screen**

**250-Sheet Tray**
**Manual Feeder**

**550-Sheet Duo Tray with 100-Sheet Feeder**

**550-Sheet Tray**

**Swivel Cabinet**

**Adjustable  Printer Stand**

■ Standard

■ Optional

# XC2132

| Part # | Model |
|---|---|
| 28E0600 | Lexmark XC2132 |

| Part # | Laser Toner/ Print Cartridge |
|---|---|
| 24B6011 | Black Toner Cartridge |
| 24B6008 | Cyan Toner Cartridge |
| 24B6009 | Magenta Toner Cartridge |
| 24B6010 | Yellow Toner Cartridge |
| 70C0Z10 | Black Imaging Kit |
| 70C0Z50 | Black and Colour Imaging Kit |
| 70C0D10 | Black Developer Unit |
| 70C0D20 | Cyan Developer Unit |
| 70C0D30 | Magenta Developer Unit |
| 70C0D40 | Yellow Developer Unit |
| 70C0P00 | Photoconductor Unit |
| C540X75G | Waste Toner Bottle |

| Part # | Service |
|---|---|
| 40X7615 | Fuser Maintenance kit, 110-120V |
| 40X7610 | Image Transfer Unit |
| 40X7622 | Fuser, 110-120V |
| 40X9108 | ADF Separator Roller |

| Part # | Paper Handling |
|---|---|
| 38C0626 | 550-Sheet Duo Tray with 100-Sheet MPF |
| 38C0636 | 550-Sheet Tray |

| Part # | Furniture |
|---|---|
| 35S8502 | Adjustable Stand |
| 3073173 | Swivel Cabinet |

| Part # | Memory Options |
|---|---|
| 57X9016 | 1024MBx32 DDR3-DRAM |
| 57X9012 | 2048MBx32 DDR3-DRAM |
| 57X9101 | 256MB Flash Memory Card |
| 57X9115 | Japanese Font Card |
| 57X9114 | Korean Font Card |
| 57X9112 | Simplified Chinese Font Card |
| 57X9110 | Traditional Chinese Font Card |

| Part # | Application Solutions |
|---|---|
| 35S6851 | Card for IPDS |
| 35S6850 | Forms and Bar Code Card |
| 35S6852 | Card for PRESCRIBE Emulation |

| Part # | Connectivity |
|---|---|
| 1021294 | USB (2 Meter) Cable |
| 27X0125 | MarkNet N8352 802.11b/g/n Wireless Print Server Kit |

# Lexmark XC2132 Product Specifications

## Product specifications — Lexmark XC2132

### Printing

| | |
|---|---|
| Function | Colour Copying, Colour Faxing, Colour Printing, Colour Scanning |
| Display | Lexmark e-Task 7-inch (17.8 cm) colour touch screen |
| Print Speed: Up to[3] | Black: 32 ppm / Colour: 32 ppm |
| Time to First Page: As fast as | Black: 10.5 seconds / Colour: 11.5 seconds |
| Print Resolution | Black: 4800 Colour Quality (2400 x 600 dpi), 1200 x 1200dpi / Colour: 4800 Colour Quality (2400 x 600 dpi), 1200 x 1200 dpi |
| Memory/ Processor Speed | Standard: 1024 MB / Maximum: 3072 MB / Processor: Dual Core, 800 MHz |
| Hard Disk | Included in configuration |
| Recommended Monthly Page Volume[2] | 1500 - 7000 pages |

### Copying

| | |
|---|---|
| Copy Speed: Up to[3] | Black: 32 cpm / Colour: 32 cpm |
| Time to First Copy: As fast as | Black: 10.8 seconds / Colour: 11.6 seconds |
| Reduce / Enlarge Range | 25 - 400% |

### Scanning

| | |
|---|---|
| Duplex Scan Speed: Up to | A4/Ltr, Black: 13 / 14 sides per minute - A4/Ltr, Colour: 13 / 14 sides per minute |
| Simplex Scan Speed: Up to | A4/Ltr, Black: 30 / 32 sides per minute - A4/Ltr, Colour: 30 / 32 sides per minute |
| Scanner Type | Flatbed scanner with ADF / RADF (Reversing Duplex) / 50 pages 20 lb or 75 gsm bond |
| Optical Scanning Resolution | 1200 x 600 dpi (black), 600 X 600 ppi (colour) |

### Faxing

| | |
|---|---|
| Modem Speed | ITU T.30, V.34 Half-Duplex, 33.6 Kbps |

### Supplies

| | |
|---|---|
| Laser Cartridge Yield[1] | 6000-page Black Extra High Yield Cartridge, 3000-page Colour (CMY) Extra High Yield Cartridge |
| Cartridge(s) Shipping with Product[4] | 8000-page Black Extra High Yield Toner Cartridge, 4000-page Colour (CMY) Extra high Yield Toner Cartridges |
| Imaging Unit | 40000 pages, based on 3 average letter/A4-size pages per print job |

### Paper Handling

| | |
|---|---|
| Included Paper Handling | Single-Sheet Manual Feed, Integrated Duplex, 250-Sheet Input, 150-Sheet Output Bin |
| Optional Paper Handling | 550-Sheet Duo Tray with 100-Sheet Feeder, 550-Sheet Tray |
| Paper Input Capacity: Up to | Standard: 250 pages 20 lb or 75 gsm bond / Maximum: 1450 pages 20 lb or 75 gsm bond |
| Paper Output Capacity: Up to | Standard: 150 pages 20 lb or 75 gsm bond / Maximum: 150 pages 20 lb or 75 gsm bond |
| Media Types Supported | Refer to the Card Stock & Label Guide, Paper Lables, Card Stock, Plain Paper, Transparencies |
| Media Sizes Supported | A4, A5, Executive, Folio, JIS-B5, Legal, Letter, Universal, Oficio |

### General

| | |
|---|---|
| Standard Ports | Rear USB 2.0 Specification Hi-Speed Certified Port (Type A), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type B) |
| Optional Network Ports/ Optional Local Ports | MarkNet N8352 802.11b/g/n Wireless |
| Noise Level, Operating | Printing: 50 dBA / Copy: 50 dBA / Scan: 49 dBA |
| ENERGY STAR | Yes |
| Specified Operating Environment | Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2896 Meters (9500 Feet) |
| Size (in. - H x W x D) / Weight (lb.) | 18.44 x 17.48 x 23.2 in. / 62 lb. |