# Data sheet

# HP LaserJet Managed E60055 series



This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.



HP LaserJet Managed E60055dn

#### The world's most secure printing1

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy over 175 HP and third-party solutions.

## High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.4
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.5
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

# More. Pages, Performance, and Protection.6


- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.6
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.

<sup>&</sup>lt;sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims. <sup>2</sup> HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/printersdaims. Escart speed varies depending on the system configuration, software application, driver, and document complexity. <sup>4</sup> Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. <sup>5</sup> Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/ljclaims. <sup>6</sup> More pages versus predecessor cartridges calim based on page-yield comparison of HP 37X High Yield Black Original Laser/tidges. For more information, see http://www.hp.com/go/learnaboutsupplies <sup>6</sup> HP 37X High Yield Black Original Laser/tidges. For more information, see http://www.hp.com/go/learnaboutsupplies <sup>6</sup> HP 37X High Yield Black Original Laser/tidges.

# HP LaserJet Managed E60055dn

# Product walkaround

- 1. Hardware Integration Pocket<sup>3</sup>
- 2. 2.7-inch (6.9 cm) color graphics display with keypad
- 3. Easy-access USB port
- 4. 100-sheet multipurpose tray 1
- 5. Front door access to toner cartridges
- 6. 550-sheet input tray 2
- 7. 500-sheet output bin
- 8. Automatic two-sided printing
- 9. Host USB port
- 10. Gigabit Ethernet network port
- 11. Hi-Speed USB 2.0 printing port
- 12. Slot for cable-type security lock



# Series at a glance



	i
Model	HP LaserJet Managed E60055dn
Part number	MOP33A
Print speeds (letter/A4) <sup>2</sup>	Up to 55/52 pages per minute (ppm)
Control panel	2.7-inch (6.9 cm) LCD with keypad
Hardware Integration Pocket <sup>3</sup>	$\sqrt{}$
100-sheet multipurpose tray 1, 550-sheet tray 7	2 √
550-sheet paper feeder⁴	Optional (up to four)
2,100-sheet paper feeder4	Optional
Envelope feeder	Optional (up to two)
Printer stand	Optional
5-bin stapler/stacker/mailbox with job offset	Optional
Wireless direct,⁵ NFC touch-to-print⁵	Optional
Wireless networking <sup>7</sup>	Optional
HP High-Performance Secure Hard Disk	Optional

<sup>&</sup>lt;sup>1</sup> An administrator must enable the easy-access USB port before use. <sup>2</sup> Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>3</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>4</sup> The HP LaserJet Managed E60055dn comes standard with the 100-sheet multipurpose tray and 550-sheet paper feeders and the optional 2,100-sheet paper feeders, All optional accessories support media up to letter size (A4). <sup>5</sup> Add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a wireless direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. <sup>6</sup> Add touch-to-print capability by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. <sup>7</sup> Add wireless networking by purchasing the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

# **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

# Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

## Same Day Onsite – 4 hour 9x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

For carepack availability visit: hp.com/go/cpc













# Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 55 pages per minute,<sup>3</sup> fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.<sup>6</sup>

#### Accessories

LOH17A - HP LaserJet 550-Sheet Paper feeder

LOH18A - HP LaserJet 2100 sheet Paper feeder

LOH19A - HP LaserJet Printer Stand

LOH20A - HP LaserJet Stapler/Stacker/ Mailbox

LOH21A - HP Envelope Feeder

B5L28A - HP Internal USB Ports

B5L29A - HP Secure High Perf Hard Disk Drive

J8031A - HP Jetdirect 2900nw Print Server

F5S62A - HP Trusted Platform Module Accessory

G6W84A - 1 GB Memory DIMM Kit L0H22A - HP Extension Tray Cover

## Supplies

J8J96A - HP Staple Cartridge Refill

LOH24A - HP LaserJet 110v Maintenance Kit

LOH25A - HP LaserJet 220v Maintenance Kit

## Services

U9MX5E - HP 3y Nbd+DMR LJ Ent E6005x Mngd HW Supp

U9MX6E - HP 4y Nbd+DMR LJ Ent E6005x Mngd HW Supp

U9MX7E - HP 5y Nbd+DMR LJ Ent E6005x Mngd HW Supp

U9MX8E - HP3y4h9x5+DMR LJ Ent E6005x Mngd HW Supp

U9MX9E - HP4y4h9x5+DMR LJ Ent E6005x Mngd HW Supp

U9MY0E -HP5y4h9x5+DMR LJ Ent E6005x Mngd HW Supp

U9MY1E - HP3yNbd ChnlRmtParts LJEntE6005xMngd SVC

U9MY2E - HP4yNbd ChnlRmtParts LJEntE6005xMngd SVC

U9MY3E - HP5yNbd ChnlRmtParts LJEntE6005xMngd SVC

U9MY4PE - HP 1yPW Nbd+DMR LJEntE6005x Mngd HW Supp

U9MY5PE - HP 2yPW Nbd+DMR LJEntE6005x Mngd HW Supp

U9MY6PE - HP1yPW4h9x5+DMR LJEntE6005x Mngd HW Supp

U9MY7PE - HP2yPW4h9x5+DMR LJEntE6005x Mngd HW Supp

U9MY8PE - HP1yPW ChnlRmtParts LJEntE6005xMngd SVC

U9MY9PE - HP2yPW ChnlRmtParts LJEntE6005xMngd SVC

<sup>&</sup>lt;sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go//PrintersThatProtect. For more information: http://www.hp.com/go//printersecurityclaims. <sup>2</sup> HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin. <sup>3</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, document complexity. <sup>4</sup> Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. <sup>5</sup> Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/Ljclaims. <sup>6</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies <sup>6</sup> HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.

# HP LaserJet Managed E60055 series

III Edocioci	Harlagea E00033 Series	
Technical Specifications	HP LaserJet Managed E60055dn(M0P33A)	
Print speed	Letter: Up to 55 ppm black; 7: First Page Out Black: As fast as 5.3 sec; 9	
Print resolution	Black (best): Up to 1200 x 1200 dpi	
Print Technology	Laser; Print Resolution Technologies: FastRes 1200; 1200 x 1200 dpi	
Print Cartridges Number	1 (black)	
Standard Print Languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™	
Printer Smart Software Features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB	
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver	
Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket	
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	
Wireless Capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A	
Mobile Printing Capability	HP ePrint; Apple AirPrint™: Mopria-certified <sup>6</sup>	
Memory	Standard: 512 MB; Maximum: 1.5 GB, MAX memory, when 1GB Accessory DIMM is installed	
Processor Speed	1.2 GHz / <b>Hard disk:</b> Optional, 500 GB (with accessory B5L29A)	
Duty Cycle	Monthly, letter: Up to 375,000 pagesRecommended Monthly Page Volume: 5000 to 30,000	
Paper Handling	Input Capacitles: 100-sheet multipurpose feeder, 550-sheet input feeder; Up to 650 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheet output bin; Up to 500 sheets output bin; Up to 500 sheets output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheets output bin; Up to 500 sheets output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheets output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheets output bin; Up to 500 sheets output bin; Up to 500 sheets standard labels legal; Output Capacitles: 500 sheets output bin; Up to	
Product Dimensions	WxDxH: 17×18.3×15 in; Maximum: 17×40.9×17.8 in	
Product Weight	47.7 lb	
What's in the box	HP Color Laser Jet Multifunction Printer; HP Black Original Laser Jet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord <sup>2</sup>	
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region.  (wty code 4G)	
Energy Efficiency Compliance	ENERGY STAR® qualified	
Control Panel	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad	
Display Description	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)	
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals	
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and JPDS Emulation available at http://www.hp.com/go/laserjetfonts	
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debision (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-8.64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix NenDey 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 R2 Ferminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit, Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix XenDestop 5.6 [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit, Citrix XenDestop 5.6 [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit, Citrix XenDestop 5.6 [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit, Citrix XenDestop 5.6 [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit, Citrix XenDestop 5.6 [for Windows Server 2018 R2 Ferminal Services, 32- and 64-bit, Citrix XenDestop 5.6 [for Windows Server 2018 R2 Ferminal Services, 32- and 64-bit, Citrix XenDestop 5.6 [for Windows Server 2018 R2 SP1 Terminal Services, 32- and 64-bit, Citrix XenDestop 5.6 [for Windows Server 2018 R2 SP1 Terminal Services, 42-bit, SP1 SP2] SP2 SP2 Novell Clients www.novell. Com/pirint, Novell Pirint Appliance v1.0, Novell Pirint Appliance v1.0, Novell Pirint Appliance v1.0, Novell Dept Enterprise Server 2 For Linux, Novell Servers www.novell.com/pirint, Novell Pirint Appliance v1.0, Novell Pirint Appliance v1.0, Novell Open Enterprise Server 2 For Linux, Novell Servers www.novell.com/pirint, Novell Pirint Appliance v1.0, Novell Dept Enterprise Server 2 For Linux, Novell Servers www.novell.com/pirint, Novell Pirint Appliance v1.0, Novell Dept Enterprise Server 2 For Linux, Novell Servers www.novell.com/pirint, Novell Pirint Appliance v1.0, Novell Dept Enterprise Server 2 For Linux, Novell Servers www.novell.com/pirint, Novell Pirint Appliance v1.0, Novell Pi	
Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info	
Power	Power Supply Type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier); Power Requirements: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60H nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/	
Acoustics	(sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off) <sup>3</sup> Acoustic Power Emissions: 6.9 B(A): Acoustic Pressure Emissions: 5.5 dB(A)	
Operating Environment		
	Operating Temperature Range: 15 to 27°C; Recommended Operating Temperature: 59 to 80.6%; Storage Temperature Range: -4 to 104%; Non-Operating Humidity Range: 10 to 80% RH; Operating Humidity Range: 30 to 70% RH; Recommended Humidity Operating Range: 10 to 90% RH	
Security Management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPu3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	

### Learn more at hp.com

© Copyright 2017-2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. H psall not be labele for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. Airprint, iPad. iPhone, and iPad to bush are trademarks of Apple in the U.S. and other countries.



<sup>&</sup>lt;sup>1</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.peat.net for registration status by country. <sup>2</sup> Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies<sup>3</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. <sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device. <sup>5</sup> Nerage color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/support <sup>7</sup> Nessured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>8</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>10</sup> eMMC is non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Disb 1<sup>10</sup> Original HP Laser Jet "A" and "X" toner cartridges are also compatible with this product. <sup>12</sup> Based on the BATEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.